





Hinges / Various hinges

Round top weld-on steel hinges - brass washer

Fixed pin



A	B	C	D	material	finish	part number	pin material	weight
40	10	8	5	steel	raw	14-7-3585	steel	16g
60	12	10	6	steel	raw	14-7-3573	steel	36g
80	16	13	8	steel	raw	14-7-3574	steel	84g
100	20	16	10	steel	raw	14-7-3575	steel	160g
120	20	16	11	steel	raw	14-7-3586	steel	195g
135	22.5	18	12	steel	raw	14-7-3587	steel	270g
150	25.5	20	13	steel	raw	14-7-3576	steel	390g
180	25.5	20	13	steel	raw	14-7-3794	steel	465g
200	29	23	16	steel	raw	14-7-3588	steel	660g
40	10	8	5	steel	raw	14-7-3589	brass	16g
60	12	10	6	steel	raw	14-7-3590	brass	36g
80	16	13	8	steel	raw	14-7-3591	brass	84g
100	20	16	10	steel	raw	14-7-3592	brass	160g
120	20	16	11	steel	raw	14-7-3593	brass	195g
135	22.5	18	12	steel	raw	14-7-3594	brass	270g
150	25.5	20	13	steel	raw	14-7-3595	brass	390g
200	29	23	16	steel	raw	14-7-3596	brass	660g



Round top weld-on steel hinges - steel pin - ball bearing

Fixed pin

A	B	C	D	part number	material	finish	weight
104	20	16	10	14-7-3608	steel	raw	162g
124	20	16	11	14-7-3609	steel	raw	197g
141	22.5	18	12	14-7-3610	steel	raw	272g
155.5	25.5	20	13	14-7-3611	steel	raw	392g
206	29	23	16	14-7-3612	steel	raw	662g







Hinges / Various hinges

Round top weld-on steel hinges - steel pin - brass washer - with grease nipple



Fixed pin

A	B	C	D	part number	material	finish	weight
60	12	10	6	14-7-3796	steel	raw	36g
80	16	13	8	14-7-3786	steel	raw	84g
100	20	16	10	14-7-3787	steel	raw	160g
120	20	16	11	14-7-3788	steel	raw	195g
135	22.5	18	12	14-7-3793	steel	raw	270g
150	25.5	20	13	14-7-3789	steel	raw	390g
180	25.5	20	13	14-7-3790	steel	raw	465g
200	29	23	16	14-7-3791	steel	raw	660g



Round top weld-on aluminium hinges - stainless steel pin - stainless steel washer

A	B	C	D	part number	material	finish	weight
60	12	10	6	14-7-3815	alu	raw	20g
80	16	13	8	14-7-3816	alu	raw	40g
100	20	16	10	14-7-3817	alu	raw	75g
120	20	16	11	14-7-3818	alu	raw	93g







Hinges / Various hinges

Flat top weld-on steel hinges - brass washer

Fixed pin



A	B	C	D	material	finish	part number	pin material	weight
45	10	8	5	steel	raw	14-7-3583	steel	20g
60	12	10	6	steel	raw	14-7-3569	steel	40g
80	16	13	7	steel	raw	14-7-3570	steel	90g
100	20	16	9	steel	raw	14-7-3571	steel	115g
120	20	16	9	steel	raw	14-7-3603	steel	135g
140	25.5	20	11	steel	raw	14-7-3572	steel	370g
200	29	23	16	steel	raw	14-7-3584	steel	600g
45	10	8	5	steel	raw	14-7-3597	brass	20g
60	12	10	6	steel	raw	14-7-3598	brass	40g
80	16	13	7	steel	raw	14-7-3599	brass	90g
100	20	16	9	steel	raw	14-7-3600	brass	115g
120	20	16	9	steel	raw	14-7-3604	brass	135g
140	25.5	20	11	steel	raw	14-7-3601	brass	370g
200	29	23	16	steel	raw	14-7-3602	brass	680g



Flat top weld-on steel hinges - steel pin - ball bearing

Fixed pin

A	B	C	D	part number	material	finish	weight
84	16	13	7	14-7-3613	steel	raw	92g
104	20	16	9	14-7-3614	steel	raw	117g
124	20	16	9	14-7-3615	steel	raw	137g
144.5	25.5	20	11	14-7-3606	steel	raw	372g
206	29	23	16	14-7-3616	steel	raw	682g







Hinges / Various hinges

Flat top weld-on stainless steel hinges - stainless steel pin - brass washer



Fixed pin

A	B	C	D	part number	material	finish	weight
60	12	10	6	14-7-3693	304 stainless steel	raw	40g
80	16	13	7	14-7-3696	304 stainless steel	raw	90g
100	20	16	9	14-7-3697	304 stainless steel	raw	115g
120	20	16	9	14-7-3698	304 stainless steel	raw	135g



Swivel pin with ball bearing

A	B	C	D	part number	material	finish	weight
63	115	28	10	14-1-3630	steel	raw	482g



Ball bearing

Ball bearing with inside diameter 11mm for swivel pin 14-1-3630

part number	material	finish
27-7-3647	steel	zinc plated





Hinges / Various hinges

Flag hinges - steel pin - brass washer



Fixed pin

A	B	C	D	E	part number	material	finish	weight
63	80	4.2	8	15.5	14-7-3634	steel	raw	150g
83.5	80	5.1	8	16	14-7-3635	steel	raw	250g
104	92	5.5	9	17	14-7-3636	steel	raw	390g
124	108	6.5	10	19	14-7-3637	steel	raw	600g
144	108	6.5	10	19	14-7-3638	steel	raw	720g



Fixed pin

A	B	C	D	E	note	part number	material	finish	weight
83.5	80	5.1	8	16	type 1 symmetric not shown	14-7-3641	steel	raw	250g
83.5	80	5.1	8	16	type 2 as shown below	14-7-3642	steel	raw	250g
104	92	5.5	9	17	type 1 symmetric not shown	14-7-3643	steel	raw	390g
104	92	5.5	9	17	type 2 as shown below	14-7-3644	steel	raw	390g







Hinges / Various hinges

Brass hinges - 4 holes

304 stainless steel pin

A	B	C	D	E	F	G	S	note	part number	material	finish	weight
30	20	2	3	2.5	12.5	16.5	2.5	drilled	72-7-3659	brass	raw	11.6g
30	30	2	3	2.5	19	17	2.5	drilled	72-7-3660	brass	raw	15.8g
30	20	2	3	2.5				undrilled	72-7-3676	brass	raw	12g
30	30	2	3	2.5				undrilled	72-7-3677	brass	raw	17g





Brass hinges - 6 holes

304 stainless steel pin

All hinges are drilled

A	B	C	D	E	F	G	H	S	part number	material	finish	weight
40	25	2	3	2.5	15	14		3	72-7-3661	brass	raw	17.5g
40	30	2	3	2.5	18	14		3	72-7-3662	brass	raw	20.5g
40	35	2	3	2.5	21	14		3	72-7-3663	brass	raw	24g
40	40	2	3	2.5	23	14		3	72-7-3664	brass	raw	29g
50	30	2	3	2.5	17.5	17.5		3	72-7-3665	brass	raw	26g
60	35	2	3	2.5	20	21.5	24	3.5	72-7-3666	brass	raw	37g
60	40	2	3	2.25	21.5	21.5	26	3.5	72-7-3667	brass	raw	43.5g







Hinges / Various hinges

Brass hinges - 6 holes

304 stainless steel pin
All hinges are drilled



A	B	C	D	E	F	G	H	S	part number	material	finish	weight
70	40	2	3	2.25	23	24	27	3.5	72-7-3668	brass	raw	52g
70	50	2.5	3.5	3.25	25	24	37	3.5	72-7-3669	brass	raw	79g
80	45	2.2	3	2.25	22.5	29	30.5	3.5	72-7-3670	brass	raw	72g
80	60	3	4	3.5	28	28.5	45	4	72-7-3671	brass	raw	125g



Brass hinges - 8 holes

304 stainless steel pin
All hinges are drilled

A	B	C	D	E	F	G	H	S	part number	material	finish	weight
100	60	3	4	3.5	29.5	25	38	4	72-7-3674	brass	raw	155g
120	60	3	4	3.5	25	30	41.5	4	72-7-3675	brass	raw	188g






Hinges / Various hinges

Brass hinges

304 stainless steel pin


Same shape available for hasp 72-7-3726

A	B	C	D	S	part number	material	finish	weight
30	98.5	3	4	4	72-7-3725	brass	chrome plated	56.5g



304 stainless steel pin

A	B	C	D	S	part number	material	finish	weight
30	76	3	4	4	72-7-3723	brass	chrome plated	51g







Hinges / Various hinges

Drilled brass hinges



Removable pin

A	B	C	D	E	F	S	material	finish	part number	pin material	weight
40	7.5	10	3.9	5	20	3	brass	chrome plated	72-7-3329	nickel plated steel	30g
50	7.5	10	3.9	5	26.5	3	brass	chrome plated	72-7-3331	nickel plated steel	50g
80	12	16	7	9.6	40	4.5	brass	chrome plated	72-7-3332	chrome plated brass	190g



Removable pin in nickel plated steel

A	B	C	D	S	part number	material	finish	weight
45	7.5	10	3.9	2.5	72-7-3330	brass	chrome plated	40g







Hinges / Various hinges

Drilled brass hinge

Removable pin in chrome plated brass



A	B	C	D	S	part number	material	finish	weight
100	12	16	7	5	72-7-3333	brass	chrome plated	235.7g



Brass lift-off hinges

Steel pin

A	B	C	D	F	G	S	note	part number	material	finish	weight
30	40	2	3.5	6.8	15	3	type 1 symmetric not shown	14-7-3413	brass	chrome plated	20g
30	40	2	3.5	6.8	15	3	type 2 as shown below	14-7-3414	brass	chrome plated	20g
30	40	2	3.5	6.8	15	3	type 1 symmetric not shown	14-7-3425	brass	polished	20g
30	40	2	3.5	6.8	15	3	type 2 as shown below	14-7-3426	brass	polished	20g







Hinges / Various hinges

Brass lift-off hinges

Raw steel pin

A	B	C	D	F	G	H	S	note	part number	material	finish	weight
40	50	2	3.5	13.3	27	7	3	type 1 symmetric not shown	14-7-3415	brass	chrome plated	32g
40	50	2	3.5	13.2	27	7	3	type 2 as shown below	14-7-3416	brass	chrome plated	32g
40	50	2	3.5	13.2	27	7	3	type 1 symmetric not shown	14-7-3431	brass	polished	32g
40	50	2	3.5	13.2	27	7	3	type 2 as shown below	14-7-3432	brass	polished	32g
50	40	2	3.5	6.5	35	8	3	type 2 as shown below	14-7-3427	brass	polished	34g
50	40	2	3.5	17.5	27	24	3	type 2 as shown below	14-7-3428	brass	polished	34g
50	40	2	3.5	6.5	35	8	3	type 1 symmetric not shown	14-7-3451	brass	chrome plated	34g
50	40	2	3.5	6.5	35	8	3	type 2 as shown below	14-7-3452	brass	chrome plated	34g
60	50	2	3.5	13.5	43	6.5	3	type 1 symmetric not shown	14-7-3417	brass	chrome plated	55g
60	50	2	3.5	13.5	43	6.5	3	type 2 as shown below	14-7-3418	brass	chrome plated	55g
60	40	2	3.5	9.5	47	6.5	3	type 1 symmetric not shown	14-7-3429	brass	polished	42g
60	40	2	3.5	9.5	47	6.5	3	type 2 as shown below	14-7-3430	brass	polished	42g
60	50	2	3.5	13.5	43	6.5	3	type 1 symmetric not shown	14-7-3433	brass	polished	55g
60	50	2	3.5	13.5	43	6.5	3	type 2 as shown below	14-7-3434	brass	polished	55g
60	40	2	3.5	9.5	47	6.5	3	type 1 symmetric not shown	14-7-3457	brass	chrome plated	42g
60	40	2	3.5	9.5	47	6.5	3	type 2 as shown below	14-7-3458	brass	chrome plated	42g







Hinges / Various hinges

Brass lift-off hinges

Raw steel pin



A	B	C	E	F	S	part number	material	finish	weight
40	7.5	10	5	11.5	2.5	14-7-3316	brass	chrome plated	36.7g
40	7.5	10	5	11.5	2.5	14-7-3317	brass	polished	36.7g
50	7.5	10	5	14.5	2.5	14-7-3318	brass	chrome plated	46.6g
50	7.5	10	5	14.5	2.5	14-7-3319	brass	polished	46.6g
50	12	16	6	12.5	5	14-7-3320	brass	chrome plated	116g
50	12	16	6	12.5	5	14-7-3321	brass	polished	116g



Brass lift-off hinges

Raw steel pin

A	B	C	E	F	S	part number	material	finish	weight
40	7	10	4.5	10	2.5	14-7-3310	brass	chrome plated	36.5g
40	7	10	4.5	10	2.5	14-7-3311	brass	polished	36.5g
50	7.5	10	5	14	2.5	14-7-3313	brass	chrome plated	52g
50	7.5	10	5	14	2.5	14-7-3314	brass	polished	52g





Hinges / Various hinges

Aluminium hinges


new!

This hinge has the same footprint as our friction, detent and spring hinges.


All are fully interchangeable.

Plastic pin with or without end caps.


A	B	C	D	torque	part number	material	finish	weight
65	55	4.5	13	without cap	72-1-4212	alu 6060 T5	clear anodised	130g
65	55	4.5	13	without cap	72-1-4213	alu 6060 T5	black anodised	130g
65	55	4.5	13	with cap	72-1-4214	alu 6060 T5	clear anodised	130g
65	55	4.5	13	with cap	72-1-4215	alu 6060 T5	black anodised	130g



72-1-4212 & 72-1-4213





72-1-4214 & 72-1-4215



Hinge with 304 stainless steel riveted pin

A	B	C	D	part number	material	finish	weight
32	50	3	5.2	72-1-3635	alu 6060 T5	raw	20g
50	50	3	5.2	72-1-3636	alu 6060 T5	raw	30g







Hinges / Various hinges

Aluminium hinges

Hinge with 304 stainless steel riveted pin



A	B	C	D	part number	material	finish	weight
32	50	3	5.2	72-1-3637	alu 6060 T5	raw	20g
50	50	3	5.2	72-1-3638	alu 6060 T5	raw	30g



Aluminium weld-on hinges 80 x 80mm

Zinc plated steel pin
Nylon sleeve

A	B	C	D	S	note	part number	material	finish	weight
80	80	3.5	8	5.5	type 1 symmetric not shown	14-7-3624	alu	anodised silver	85g
80	80	3.5	8	5.5	type 2 as shown below	14-7-3625	alu	anodised silver	85g







Hinges / Various hinges

Aluminium weld-on hinges 100 x 85 mm

Zinc plated steel pin
Nylon sleeve



A	B	C	D	S	note	part number	material	finish	weight
100	85	3.5	9	5.5	type 1 symmetric not shown	14-7-3626	alu	anodised silver	99g
100	85	3.5	9	5.5	type 2 as shown below	14-7-3627	alu	anodised silver	99g



Aluminium weld-on hinges 100 x 100 mm

Zinc plated steel pin
Nylon sleeve

A	B	C	D	S	note	part number	material	finish	weight
100	100	4	9	6	type 1 symmetric not shown	14-7-3628	alu	anodised silver	106g
100	100	4	9	6	type 2 as shown below	14-7-3629	alu	anodised silver	106g






Hinges / Various hinges

Zinc die-cast hinges


new!

Nickel plated steel pin

A	B	C	D	E	part number	material	finish	weight
30	22	13	5	9	72-1-9007	zinc die-cast	black	42g
30	27.5	13	5	14.5	72-1-9006	zinc die-cast	black	60g



A	B	C	D	E	part number	material	finish	weight
60	35	18	7	18	72-1-9005	zinc die-cast	black	170g







Hinges / Various hinges

Zinc die-cast pin hinge

new!

Nylon washer

A	B	C	part number	material	finish	weight
64	17.5	17.5	72-1-9004	zinc die-cast	black	76g





Zinc die-cast lift-off hinges

new!

Fixing by 2 threaded studs

Stainless steel pin

A	B	C	D	G	note	part number	material	finish	weight
80	65	8	8	60	type 2 as shown below	14-7-3813	zinc die-cast	black	330g
80	65	8	8	60	type 1 symmetric not shown	14-7-3814	zinc die-cast	black	330g







Hinges / Various hinges

Zinc die-cast lift-off hinges

new!

Nylon washer



A	B	C	note	part number	material	finish	weight
25.5	20.5	10	type 2 as shown below	72-1-4206	zinc die-cast	black	30g
25.5	20.5	10	type 1 symmetric not shown	72-1-4207	zinc die-cast	black	30g



new!

Nylon washer

A	B	C	note	part number	material	finish	weight
64	33	17.5	type 2 as shown below	72-1-9000	zinc die-cast	black	140g
64	33	17.5	type 1 symmetric not shown	72-1-9001	zinc die-cast	black	140g







Zinc die-cast lift-off hinges

new!

Nylon washer

A	B	C	note	part number	material	finish	weight
64	50	17.5	type 2 as shown below	72-1-9002	zinc die-cast	black	230g
64	50	17.5	type 1 symmetric not shown	72-1-9003	zinc die-cast	black	230g







Hinges / Various hinges

Reinforced polyamide hinges with countersunk holes

Hinges are made of 30% GF polyamide, pins are in 304 stainless steel.
A full product data sheet is available on our website.



A	B	C	D	E	F	G	H	S	part number	material	finish	weight
40	40	5	4	5.5	25	25	9	5.3	54-1-3029	polyamide	black	44g
50	50	6	6	6.5	30	30	11.5	6.4	54-1-3030	polyamide	black	56g



Reinforced polyamide hinges with studs

Hinges are made of 30% GF polyamide, pins are in 304 stainless steel.
A full product data sheet is available on our website.

A	B	C	D	E	F	G	H	L	M	part number	material	finish	weight
40	40	5	4	5.5	25	25	9	11	M5	54-1-3031	polyamide	black	56g
50	50	6	6	6.5	30	30	11.5	15	M6	54-1-3032	polyamide	black	76g







Hinges / Various hinges

Reinforced polyamide hinges combined studs and holes

Hinges are made of 30% GF polyamide, pins are in 304 stainless steel.
A full product data sheet is available on our website.

A	B	C	D	E	F	G	H	L	M	S	part number	material	finish	weight
40	40	5	4	5.5	25	25	9	11	M5	5.3	54-1-3033	polyamide	black	50g
50	50	6	6	6.5	30	30	11.5	15	M6	6.4	54-1-3034	polyamide	black	50g







Hinges / Various hinges

Plastic hinges

Technical features :

- Temperatures: -40°C up to +80°C
- Can be fixed with: rivets, screws, nails or clamps
- Chemical resistance: oil, solvents, sea water and most chemical agents
- Tensile resistance: 180N/cm
- Material offers excellent fatigue resistance



A	B	C	S	part number	material	finish	weight
25.4	76.2	3.2	3.2	54-7-3000	polypropylene	white	5g
25.4	76.2	3.2	3.2	54-7-3002	polypropylene	black	5g



Technical features :

- Temperatures: -40°C up to +80°C
- Can be fixed with: rivets, screws, nails or clamps
- Chemical resistance: oil, solvents, sea water and most chemical agents
- Tensile resistance: 180N/cm
- Material offers excellent fatigue resistance

A	B	C	F	G	S	part number	material	finish	weight
38.1	25.4	2	15.9	28.6	3.43	54-7-3006	polypropylene	white	5g
38.1	25.4	2	15.9	28.6	3.43	54-7-3008	polypropylene	black	5g
50.8	38.1	3.17	22.2	33.3	3.43	54-7-3003	polypropylene	white	5g
50.8	38.1	3.17	22.2	33.3	3.43	54-7-3005	polypropylene	black	5g







Hinges / Various hinges

Plastic hinges

Technical features :

- Temperatures: -40°C up to +80°C
- Can be fixed with: rivets, screws, nails or clamps
- Chemical resistance: oil, solvents, sea water and most chemical agents
- Tensile resistance: 180N/cm
- Material offers excellent fatigue resistance



A	B	C	S	part number	material	finish	weight
76.2	63.5	4.76	4.62	54-7-3009	polypropylene	white	16g
76.2	63.5	4.76	4.62	54-7-3011	polypropylene	black	16g



Technical features :



- Temperatures: -40°C up to +80°C
- Can be fixed with: rivets, screws, nails or clamps
- Chemical resistance: oil, solvents, sea water and most chemical agents
- Tensile resistance: 180N/cm
- Material offers excellent fatigue resistance

A	B	C	E	F	G	H	S	part number	material	finish	weight
88.9	88.9	6.35	71.4	54	73		6	54-7-3012	polypropylene	white	35g
88.9	88.9	6.35	71.4	54	73		6	54-7-3013	polypropylene	grey	35g
88.9	88.9	6.35	71.4	54	73		6	54-7-3014	polypropylene	black	35g
101.6	101.6	6.35	79.4	54	83.4	27.8	8	54-7-3015	polypropylene	white	50g
101.6	101.6	6.35	79.4	54	83.4	27.8	8	54-7-3016	polypropylene	grey	50g
101.6	101.6	6.35	79.4	54	83.4	27.8	8	54-7-3017	polypropylene	black	50g







A	B	C	S	part number	material	finish	weight
63.5	54	5		54-7-3018	polypropylene	white	20g
63.5	54	5		54-7-3019	polypropylene	black	20g
63.5	54	5		54-7-3021	pvc	grey	20g
63.5	54	5		54-7-3022	polycarbonate	transparent	20g
63.5	54	5	6.2	54-7-3028	polyethylene	natural	20g



A	B	C	part number	material	finish	weight
63.5	54	5	54-7-3023	polypropylene	white	20g
63.5	54	5	54-7-3024	polypropylene	black	20g
63.5	54	5	54-7-3026	pvc	grey	20g
63.5	54	5	54-7-3027	polycarbonate	transparent	20g







Hinges / Various hinges

Lift-off hinges in plastic

Hinges are made of 15% GF polyamide, pins are in 303 stainless steel

A	B	C	D	S	note	part number	material	finish	weight
74	60	7	9.5	5	type 1 symmetric not shown	14-7-3722	polyamide	black	53g
74	60	7	9.5	5	type 2 as shown below	14-7-3723	polyamide	black	53g







Hinges / Various hinges

Bolt-on hinges in 2 parts

With solid brass pin and zinc plated brass washers



A	B	C	part number	material	finish	weight
33	10	16	72-1-3858	steel	zinc plated	87g



Bolt-on hinges in 3 parts

With solid brass pin and zinc plated brass washers

A	B	C	D	E	part number	material	finish	weight
49	10	16	22	20	72-1-3733	steel	zinc plated	130g
49	10	16	14	22.5	72-1-3857	steel	zinc plated	130g





Hinges / Various hinges

Bolt-on hinges in 3 parts

With washers and M6 bolts


A	B	C	part number	material	finish	weight
36	6.5	12	72-1-3856	steel	raw	70g



Bolt-on hinges in 3 parts with plate

No washers and no bolts


A	B	C	part number	material	finish	weight
36	6.5	12	72-1-3566	steel	raw	63g



Pin hinge for flush doors

For M5 screw

A	B	C	part number	material	finish	weight
63.5	17.5	15.1	72-7-4168	zinc die-cast	black	80g








Hinges / Various hinges

Lift-off hinges for adjacent door

A full product data sheet is available on our website.

A	B	C	D	note	part number	material	finish	weight
50	35.7	4	6.4	type 1 symmetric not shown	72-7-4174	zinc die-cast	black	230g
50	35.7	4	6.4	type 2 as shown below	72-7-4175	zinc die-cast	black	230g



Glass door hinge



Hinge delivered in separate parts including:

- Brass hinge 25 x (30 + 18.5)
- Brass plate 25 x 30
- Countersunk screw M6 and connector in brass
- 2 countersunk screws M4 x 10 in steel
- 2 brown steel washers
- 2 M4 steel bolts

Glass thickness: 5mm max



A	B	D	material pin	part number	material	finish	weight
25	48.5	4	stainless steel	72-1-3753	brass	black zinc plated	53g






Hinges / Various hinges


Hinges

A	B	C	D	E	F	S	part number	material	finish	weight
20	80	1.2	3	10	16	3	50-7-3736	steel	raw	22g
22	120	1.5	4.9	13.5	30	4	50-7-3737	steel	raw	36g



Available drilled or undrilled depending on part numbers

A	B	C	D	E	F	S	note	part number	material	finish	weight
30	140	2.5	6	12.5	35	4	drilled	50-7-3339	steel	zinc plated	95g
30	160	3	6	13.5	45	4	drilled	50-7-3340	steel	zinc plated	127g
30	140	2.5	6				undrilled	50-7-3343	steel	raw	95g
30	160	3	6				undrilled	50-7-3344	steel	raw	130g
30	220	3	6				undrilled	50-7-3346	steel	raw	174g








Hinges / Various hinges

Hinges

A	B	C	D	E	F	S	note	part number	material	finish	weight
25	140	1.5	3.5	11	46	3.5	riveted pin	50-7-3880	steel	raw	45g
30	160	1.5	3.5	11	54	3.5		50-7-3881	steel	raw	60g
30	190	2.5	6	12.5	60	4		50-7-3341	steel	zinc plated	150g
30	220	2.5	6	13.5	75	4		50-7-3342	steel	zinc plated	165g



A	B	C	D	S	part number	material	finish	weight
20	60	1.2	3	2.5	50-7-3332	steel	raw	13g






Hinges / Various hinges

Hinges



Drilled and countersunk hinges

Countersink of male leaf is on the opposite side of female leaf

A	B	C	D	S	part number	material	finish	weight
30	130	1.5	6	4	50-7-3333	steel	raw	55g
40	190	2	8	4	50-7-3334	steel	raw	138g



A	B	C	D	S	part number	material	finish	weight
30	83	1.5	3.4	5.5	50-1-3313	steel	nickel plated	30g







Hinges / Various hinges



Hinges

A	B	C	D	S	part number	material	finish	weight
65	70	2	4	6.7	50-1-3312	steel	zinc plated	81g



Removable pin

A	B	C	D	part number	material	finish	weight
60	94.5	1.5	4	52-1-3877	304 stainless steel	gloss	50g









Hinges / Various hinges

Hinges

A	B	C	D	part number	material	finish	weight
62	74	2	4.9	50-1-3308	steel	raw	54g
62	74	2	4.9	52-1-3769	304 stainless steel	raw	54g



A	B	C	D	part number	material	finish	weight
62	44	2	4.9	50-1-3309	steel	raw	48g







Hinges / Various hinges

Hinges



Removable pin in nickel plated steel

A	B	D	S	part number	material	finish	weight
62	76.6	4.9	3.5	51-1-3300	alu	polished	25g
62	76.6	4.9	3.5	53-1-3300	brass	nickel plated	50g



Removable pin in nickel plated steel

A	B	C	D	S	part number	material	finish	weight
46	99	6	5	3.5	72-7-3327	zinc die-cast	chrome plated	80g







Hinges / Various hinges

Hinge



Removable pin in nickel plated steel

A	B	C	D	S	part number	material	finish	weight
46	99	21.5	5	3.5	72-7-3328	zinc die-cast	chrome plated	84g



Tube hinge

A	B	C	note	part number	material	finish	weight
144	16.9	49	no stop	70-1-3526	steel	zinc plated	100g







Hinges / Various hinges

Flag hinge with washer



Flag hinge with brass washer

A	B	C	D	E	note	part number	material	finish	weight
62	62	2.5	7	30	type 2 as shown below	12-1-3634	steel	raw	87g
62	62	2.5	7	30	type 1 symmetric not shown	12-1-3635	steel	raw	87g



Flag hinge without washer

A	B	C	D	E	part number	material	finish	weight
60	40	1.5	5.3	30	12-1-3303	steel	raw	38g
80	40	1.5	5.3	40	12-1-3849	steel	raw	51g
80	50	2	6	40	12-1-3304	steel	raw	74g
60	40	1.5	5.3	30	12-1-3769	304 stainless steel	raw	38g
80	50	2	6	40	12-1-3370	304 stainless steel	raw	74g






Hinges / Various hinges

Flag hinge with washer


Flag hinge with brass washer, included separately

A	B	C	D	E	part number	material	finish	weight
61.5	40	1.5	5.3	30	12-1-3305	steel	raw	39g
81.5	50	2	6	40	12-1-3306	steel	raw	75g
61.5	40	1.5	5.3	30	12-1-3771	304 stainless steel	raw	39g
81.5	50	2	6	40	12-1-3772	304 stainless steel	raw	75g



Flag hinge without washer

A	B	C	D	E	note	part number	material	finish	weight
60	40	1.5	5.3	30	type 2 as shown below	12-1-3307	steel	raw	39g
60	40	1.5	5.3	30	type 1 symmetric not shown	12-1-3308	steel	raw	39g
80	48	2	6	40	type 2 as shown below	12-1-3309	steel	raw	76g
80	48	2	6	40	type 1 symmetric not shown	12-1-3310	steel	raw	76g







Hinges / Various hinges

Flag hinge with washer



Flag hinge with brass washer, included separately

A	B	C	D	E	note	part number	material	finish	weight
61.5	40	1.5	5.3	30	type 2 as shown below	12-1-3311	steel	raw	40g
61.5	40	1.5	5.3	30	type 1 symmetric not shown	12-1-3312	steel	raw	40g
81.5	48	2	6	40	type 2 as shown below	12-1-3313	steel	raw	77g
81.5	48	2	6	40	type 1 symmetric not shown	12-1-3314	steel	raw	77g



Flag hinge without washer

A	B	C	D	E	note	part number	material	finish	weight
82	47	2	6	41	type 2 as shown below	12-1-3315	steel	raw	77g
82	47	2	6	41	type 1 symmetric not shown	12-1-3316	steel	raw	77g







Hinges / Various hinges



Lift-off hinges

Drilled or undrilled versions

A	B	C	D	F	G	S	note	part number	material	finish	weight
50	30	1.2	4				type 1 symmetric not shown / undrilled	14-7-3378	steel	raw	21g
50	30	1.2	4				type 2 as shown below / undrilled	14-7-3379	steel	raw	21g
60	40	1.5	4				type 1 symmetric not shown / undrilled	14-7-3380	steel	raw	36g
60	40	1.5	4				type 2 as shown below / undrilled	14-7-3381	steel	raw	36g
50	30	1.2	4	6	34	2.5	type 1 symmetric not shown / drilled	14-7-3394	steel	nickel plated	20g
50	30	1.2	4	6	34	2.5	type 2 as shown below / drilled	14-7-3395	steel	nickel plated	20g



A	B	C	D	F	G	S	note	part number	material	finish	weight
30	40	1.2	4	7.7	15	3	type 1 symmetric not shown	14-7-3390	steel	nickel plated	16g
30	40	1.2	4	7.7	15	3	type 2 as shown below	14-7-3391	steel	nickel plated	16g









Hinges / Various hinges

Lift-off hinges

A	B	C	D	E	F	G	S	note	part number	material	finish	weight
40	50	1.5	4	7.5	13	24	3	type 1 symmetric not shown	14-7-3392	steel	nickel plated	28g
40	50	1.5	4	7.5	13	24	3	type 2 as shown below	14-7-3393	steel	nickel plated	28g



A	B	C	D	E	F	G	S	note	part number	material	finish	weight
60	40	1.5	4	5.5	7	46	3	type 1 symmetric not shown	14-7-3396	steel	nickel plated	35g
60	40	1.5	4	5.5	7	46	3	type 2 as shown below	14-7-3397	steel	nickel plated	35g
70	45	1.5	4.5	5.7	7.5	54	4	type 1 symmetric not shown	14-7-3398	steel	nickel plated	46g
70	45	1.5	4.5	5.7	7.5	54	4	type 2 as shown below	14-7-3399	steel	nickel plated	46g
80	50	1.5	5	7.2	9.2	62	4	type 1 symmetric not shown	14-7-3400	steel	nickel plated	59g
80	50	1.5	5	7.2	9.2	62	4	type 2 as shown below	14-7-3401	steel	nickel plated	59g





Hinges / Various hinges


Lift-off hinges 80 x 80 stainless steel with 6 holes

2 shapes available :

- shape with square ends (14-7-3727 and 14-7-3728)
- shape with round ends (14-7-3729 and 14-7-3730)

Only the visible side has a brushed finish

A	B	C	D	S	note	part number	material	finish	weight
80	80	2.5	7	5.2	type 1 symmetric not shown / square corners	14-7-3727	304 stainless steel	brushed	175g
80	80	2.5	7	5.2	type 2 as shown below / square corners	14-7-3728	304 stainless steel	brushed	175g
80	80	2.5	7	5.2	type 1 symmetric not shown / round corners	14-7-3729	304 stainless steel	brushed	175g
80	80	2.5	7	5.2	type 2 as shown below / round corners	14-7-3730	304 stainless steel	brushed	175g



Lift-off hinges 100 x 100 stainless steel 8 holes

2 shapes available :

- shape with square ends (14-7-3675 and 14-7-3679)
- shape with round ends (14-7-3677 and 14-7-3681)

Only the visible side has a brushed finish

A	B	C	D	S	note	part number	material	finish	weight
100	82	2.5	7	4.7	type 1 symmetric not shown / square corners	14-7-3675	304 stainless steel	brushed	220g
100	82	2.5	7	4.7	type 1 symmetric not shown / round corners	14-7-3677	304 stainless steel	brushed	220g
100	82	2.5	7	4.7	type 2 as shown below / square corners	14-7-3679	304 stainless steel	brushed	220g
100	82	2.5	7	4.7	type 2 as shown below / round corners	14-7-3681	304 stainless steel	brushed	220g

